

IN THE CLAIMS:

Please cancel Claims 2 to 4 and 10 to 12 without prejudice or disclaimer of subject matter and amend Claims 1, 9 and 17 as shown below. The claims, as pending in the subject application, read as follows:

1. (Currently Amended) An information signal processing apparatus connected to a connection control network, comprising:

event reception means for receiving a predetermined event instruction irrespective of a type of high level protocol,

wherein when said event reception means receives an event instruction, an event corresponding to the received instruction is generated, and

said event reception means uses predetermined addresses as registers, which are allocated in a serial bus register space in an address space of said information signal processing apparatus connected to a communication control bus complying with IEEE 1394.

2. to 4. (Canceled)

5. (Original) The apparatus according to claim 1, further comprising informing means for informing a user of the event.

6. (Original) The apparatus according to claim 1, wherein the event instruction includes one of an event instruction for controlling not to beep, an event

instruction for controlling to continuously beep, and an event instruction for controlling to intermittently beep.

7. (Original) The apparatus according to claim 1, wherein the event instruction includes one of an event instruction for controlling not to emit light, an event instruction for controlling to continuously emit light, and an event instruction for controlling to flicker.

8. (Original) The apparatus according to claim 1, wherein the event instruction includes one of an event instruction for controlling not to execute power supply control, an event instruction for controlling to turn on a power supply, and an event instruction for controlling to turn off the power supply.

9. (Currently Amended) An information signal processing method in an information signal processing apparatus connected to a connection control network, comprising the step of:

generating, upon receiving an instruction for a predetermined event, an event corresponding to the received instruction irrespective of a type of high level protocol, wherein

the step of receiving the instruction corresponding to the predetermined event includes the step of using predetermined addresses as registers, which are allocated in a serial bus register space in an address space of the information signal processing apparatus connected to a communication control bus complying with IEEE 1394.

10. to 12. (Canceled)

13. (Original) The method according to claim 9, wherein a user is informed of the event.

14. (Original) The method according to claim 9, wherein the event instruction includes one of an event instruction for controlling not to beep, an event instruction for controlling to continuously beep, and an event instruction for controlling to intermittently beep.

15. (Original) The method according to claim 9, wherein the event instruction includes one of an event instruction for controlling not to emit light, an event instruction for controlling to continuously emit light, and an event instruction for controlling to flicker.

16. (Original) The method according to claim 9, wherein the event instruction includes one of an event instruction for controlling not to execute power supply control, an event instruction for controlling to turn on a power supply, and an event instruction for controlling to turn off the power supply.

17. (Currently Amended) A program for making a computer connected to a connection control network function as:

event reception means for receiving a predetermined event instruction irrespective of a type of high level protocol; and ,

wherein ~~means for~~, when said event reception means receives an event instruction, ~~generating~~ an event corresponding to the received instruction is generated, and  
said event reception means uses predetermined addresses as registers, which  
are allocated in a serial bus register space in an address space of the computer connected to  
a communication control bus complying with IEEE 1394.